


PROFILE PROFILE

PROFILE CUSTOM EXTRUSIONS

STANDARD SHAPES CATALOG




PROVIDING ALUMINUM SOLUTIONS SINCE 1960

100 Anderson Rd
Rome, GA 30161

Ph: 706.234.7558
Fax: 706.234.7649

PROFILE

PROFILE CUSTOM EXTRUSIONS



RECTANGULAR BAR


RECTANGULAR BAR

Part #	Height (A)	Width (B)	Corner Radii (R)	Wt/Ft
XRБ-16-1	0.062	1.000	0.016	0.074
XRБ-24-1	0.062	1.500	0.016	0.093
XRБ-20-1	0.064	1.250	0.016	0.096
SAT-003	0.090	1.125	0.016	0.121
XRБ-12-2	0.125	0.750	0.016	0.113
XRБ-16-2	0.125	1.000	0.016	0.150
XRБ-20-2	0.125	1.250	0.016	0.187
XRБ-24-2	0.125	1.500	0.016	0.224
XRБ-32-2-007	0.125	2.000	0.007	0.287
XRБ-48-2	0.125	3.000	0.016	0.450
XRБ-2-56	0.125	3.500	0.016	0.524
XRБ-48-3	0.185	3.000	0.016	0.665
XRБ-12-3	0.187	0.750	0.016	0.169
XRБ-3-16	0.188	1.000	0.016	0.226
XRБ-3-23-016	0.188	1.438	0.016	0.323
XRБ-28-3	0.188	1.750	0.016	0.395
XRБ-32-3	0.188	2.000	0.016	0.451
XRБ-36-3	0.188	2.250	0.016	0.508
XRБ-40-3-15	0.188	2.500	0.015	0.564
XRБ-40-3	0.188	2.500	0.025	0.563
XRБ-4-8	0.250	0.500	0.016	0.150

Part #	Height (A)	Width (B)	Corner Radii (R)	Wt/Ft
XC-97-4-16	0.250	1.000	0.062	0.296
XRБ-4-20	0.250	1.250	0.016	0.374
XRБ-24-4	0.250	1.500	0.016	0.450
XC-97-4-24	0.250	1.500	0.062	0.446
XRБ-30-4	0.250	1.875	0.016	0.563
XRБ-32-250	0.250	2.000	0.016	0.600
XC-97-4-32	0.250	2.000	0.062	0.596
XC-97-4-48	0.250	3.000	0.062	0.896
XRБ-56-250	0.250	3.500	0.016	0.994
XRБ-4-64	0.250	4.000	0.016	1.200
XC-97-4-64	0.250	4.000	0.062	1.177
XC-97-4-88	0.250	5.500	0.062	1.646
XRБ-4-96	0.250	6.000	0.016	1.800
XRБ-4-96-125	0.250	6.000	FULL	1.784
XRБ-5-80	0.312	5.000	0.016	1.872
XRБ-6-16	0.375	1.000	0.016	0.450
XRБ-6-22-375	0.375	1.375	FULL	0.582
XRБ-6-24	0.375	1.500	0.016	0.674
XC-97-6-32	0.375	2.000	0.062	0.896
XC-97-6-40	0.375	2.500	0.062	1.103

PROFILE

PROFILE CUSTOM EXTRUSIONS




RECTANGULAR BAR

RECTANGULAR BAR


Part #	Height (A)	Width (B)	Corner Radii (R)	Wt/Ft
XC-97-6-56	0.375	3.500	0.062	1.546
XC-97-6-64	0.375	4.000	0.062	1.796
XC-97-6-80	0.375	5.000	0.062	2.204
XC-97-6-96	0.375	6.000	0.062	2.696
XR-16-8	0.500	1.000	0.016	0.591
XC-97-8-32	0.500	2.000	0.062	1.177
XC-97-8-40	0.500	2.500	0.062	1.472
XC-97-8-48	0.500	3.000	0.062	1.767
XR-48-8-250	0.500	3.000	FULL	1.735
XC-97-8-64	0.500	4.000	0.062	2.357
XC-97-8-88	0.500	5.500	0.062	3.296
XR-8-96	0.500	6.000	0.016	3.600
XC-97-10-64	0.625	4.000	0.062	2.947
XR-8-12	0.750	0.500	0.016	0.450
XR-12-24	0.750	1.500	0.016	1.350
XR-32-16	1.000	2.000	0.016	2.400
XR-18-18	1.500	1.500	0.250	1.454

Part #	Height (A)	Width (B)	Corner Radii (R)	Wt/Ft
RECTANGULAR BAR WITH 45 DEGREE BEVELS				
XC-110	0.500	6.000	0.125	3.463




ROUND ROD

Part #	Diameter (A)	Wt/Ft
XRR-6	0.185	0.032
XRR-5	0.312	0.091
XRR-8	0.500	0.235
XRR-16	1.000	0.943
XRR-40	2.500	5.891



PROFILE

PROFILE CUSTOM EXTRUSIONS





EQUAL LEG ANGLE

Part #	Leg Length (A)	Wall Thickness (T)	Corner Radii (R)	Wt/Ft
XAE-8-062	0.500	0.062	0.016	0.068
XAE-12-1	0.750	0.062	0.016	0.107
XAE-14-2	0.875	0.125	0.016	0.244
XAE-16-1	1.000	0.062	0.016	0.144
XAE-16-2	1.000	0.125	0.016	0.281
XAE-20-2	1.250	0.125	0.016	0.356
XAE-24-060	1.500	0.060	0.016	0.211
XAE-24-2	1.500	0.125	0.016	0.431
XAE-24-3	1.500	0.188	0.016	0.750
XAE-24-4	1.500	0.250	0.016	0.824
XAE-32-2	2.000	0.125	0.016	0.581
XAE-32-188	2.000	0.188	0.016	0.859
XAE-32-4	2.000	0.250	0.016	1.124
XAE-48-115	3.000	0.115	0.016	0.818
XAE-48-3	3.000	0.188	0.016	1.310
XAE-48-4	3.000	0.250	0.016	1.724
XAE-64-6	4.000	0.375	0.016	3.431

STRUCTURAL EQUAL LEG ANGLE

Part #	Leg Length (A)	Wall Thickness (T)	Corner Radii (R)	Wt/Ft
XAE-S16-2-94	1.000	0.125	0.094	0.281
XAE-S-16-2	1.000	0.125	0.124	0.282
XAE-S-20-3	1.250	0.188	0.125	0.522
XAE-S-24-2	1.500	0.125	0.124	0.432
XAE-S-24-3	1.500	0.188	0.124	0.636
XAE-S-24-4	1.500	0.250	0.124	0.826
XAE-S-32-2	2.000	0.125	0.125	0.589
XAE-S-32-3	2.000	0.188	0.125	0.868
XAE-S-32-4	2.000	0.250	0.125	1.133
XAE-S-32-5	2.000	0.375	0.150	1.582
XAE-S48-4-25	3.000	0.250	0.250	1.709
XAE-S-48-4	3.000	0.250	0.125	1.733
XAE-S-64-4	4.000	0.250	0.250	2.362



UNEQUAL LEG ANGLE


UNEQUAL LEG ANGLE

Part #	Width (A)	Height (B)	Wall Thickness (T)	Corner Radii (R)	Wt/Ft
XC-18-27	0.250	0.750	0.071	0.016	0.082
XAU-16-8-045	0.500	1.000	0.045	0.016	0.048
XAU-11-24-2	0.688	1.500	0.125	0.016	0.309
XAU-16-24-65	1.000	1.500	0.065	0.016	0.189
XAU-16-24-78	1.000	1.500	0.078	0.016	0.227
XAU-32-16-50	1.000	2.000	0.050	0.016	0.176
XAU-32-16-1	1.000	2.000	0.063	0.016	0.218
XAU-32-16-2	1.000	2.000	0.125	0.016	0.431
XAU16-48-062	1.000	3.000	0.062	0.016	0.293
XAU-48-16-90	1.000	3.000	0.090	0.016	0.422
XAU-16-48-2	1.000	3.000	0.125	0.016	0.571
XAU-16-64-1	1.000	4.000	0.062	0.016	0.367
XAU16-64-125	1.000	4.000	0.125	0.016	0.738
XAU-16-64-25	1.000	4.000	0.250	0.016	1.424
XAU-20-52-90	1.250	3.250	0.090	0.016	0.476

Part #	Width (A)	Height (B)	Wall Thickness (T)	Corner Radii (R)	Wt/Ft
XAU24-40-125	1.500	2.500	0.125	0.016	0.576
XAU24-48-093	1.500	3.000	0.093	0.016	0.492
XAU-24-48	1.500	3.000	0.125	0.016	0.656
XAU-24-80	1.500	5.000	0.125	0.016	0.956
XAU32-48-125	2.000	3.000	0.125	0.016	0.731
XAU32-4825-8	2.000	3.000	0.250	0.008	1.424
XAU32-64-093	2.000	4.000	0.093	0.016	0.659
XAU32-64-125	2.000	4.000	0.125	0.016	0.884
XAU32-64-250	2.000	4.000	0.250	0.016	1.724
XAU32-80-125	2.000	5.000	0.125	0.016	1.031
XAU32-102-90	2.000	6.375	0.090	0.016	0.894
XAU-17-41-62	2.500	1.000	0.062	0.016	0.265
XAU-48-88	5.000	3.000	0.375	0.016	3.431

STRUCTURAL UNEQUAL LEG ANGLE

Part #	Width (A)	Height (B)	Wall Thickness (T)	Corner Radii (R)	Wt/Ft
XAU-S-32-48	3.000	2.000	0.375	0.313	2.088
XAUS4832189	3.000	2.000	0.189	0.125	1.104
XAU-S-48-64	4.000	3.000	0.375	0.250	2.986



PROFILE


PROFILE CUSTOM EXTRUSIONS

CONDUIT TUBING

Part #	Conduit Size	Diameter (A)	Wall Thickness (T)	Wt/Ft
XTRC-13-104	1/2"	0.840	0.104	0.288
XTRC-17-107	3/4"	1.050	0.107	0.377
XTRC-21-126	1"	1.315	0.126	0.559
XTRC-25-120	1-1/4"	1.660	0.120	0.697
XTRC-30-138	1-1/2"	1.900	0.138	0.917
XTRC-38-146	2"	2.375	0.146	1.226
XTRC-46-193	2-1/2"	2.875	0.193	1.951
XTRC-56-205	3"	3.500	0.205	2.525
XTRC-64-215	3-1/2"	4.000	0.215	3.068
XTRC-72-225	4"	4.500	0.225	3.626
XTRC-89-245	5"	5.563	0.245	4.912
XTR-S-40-106	6"	6.625	0.266	6.377


COUPLING TUBING

Part #	Coupling Size	Diameter (A)	Wall Thickness (T)	Wt/Ft
XTR-C-21-200	3/4"	1.338	0.200	0.857
XTR-C-25-182	1"	1.572	0.182	0.954
XTR-C-25-195	1"	1.572	0.195	1.013
XTR-C-31-218	1-1/4"	1.963	0.218	1.434
XTR-C-36-231	1-1/2"	2.229	0.231	1.740
XTR-C-44-259	2"	2.760	0.259	2.442
XTR-C-53-300	2-1/2"	3.291	0.300	3.383
XTR-C-63-305	3"	3.925	0.305	4.156
XTR-C-71-316	3-1/2"	4.448	0.316	4.722
XTR-C-80-347	4"	5.010	0.347	6.100
XTR-C100-441	5"	6.245	0.441	9.640



SCHEDULE PIPE

Part #	Schedule	N.P.S.	Wall		Wt/Ft
			Diameter (A)	Thickness (T)	
XTR-S-10-24	10	1.500	1.900	0.109	0.736
XTR-38-100	10	2.000	2.375	0.100	0.858
XTR-S-10-40	10	2.500	2.875	0.120	1.247
XTR-S-40-14	40	0.500	0.840	0.109	0.300
XTR-S-40-12	40	0.750	1.050	0.113	0.399
XTR-S-40-16	40	1.000	1.315	0.133	0.593
XTR-1660-140	40	1.250	1.660	0.140	0.802
XTR-S-40-24	40	1.500	1.900	0.145	0.959
XTR-S-40-32	40	2.000	2.375	0.154	1.289
XTR-S-40-40	40	2.500	2.875	0.203	2.045
XTR-S-40-3	40	3.000	3.500	0.216	2.674
XTR-S-40-56	40	3.500	4.000	0.226	3.216
XTR-S-40-72	40	4.000	4.500	0.237	3.809
XTR-S-40-5	40	5.000	5.563	0.258	5.099
XTR-S-40-106	40	6.000	6.625	0.266	6.377
XTR-S-80-24	80	1.500	1.900	0.200	1.282
XTR-S-80-32	80	2.000	2.375	0.218	1.772
XTR-S-80-48	80	3.000	3.500	0.300	3.619
XTR-S-80-56	80	3.500	4.000	0.318	4.414
XTR-S-80-64	80	4.000	4.500	0.337	5.288




ROUND TUBING

Part #	Diameter (A)	Wall Thickness (T)	Wt/Ft
XTR-8-065	0.500	0.065	0.106
XTR-10-156	0.625	0.156	0.276
XTR-11-047	0.687	0.047	0.113
XTR-12-049	0.750	0.049	0.129
XTR-12-062	0.750	0.062	0.161
XTR-12-072	0.750	0.072	0.185
XTR-12-083	0.750	0.083	0.209
XTR-12-095	0.750	0.095	0.234
XTR-14-062	0.875	0.062	0.190
XTR-16-049	1.000	0.049	0.175
XTR-16-062	1.000	0.062	0.218
XTR-16-065	1.000	0.065	0.229
XTR-16-080	1.000	0.080	0.277
XTR-16-100	1.000	0.100	0.338
XTR-1050-113	1.050	0.113	0.400
XTR-1050-140	1.050	0.140	0.480
XTR-20-050	1.125	0.050	0.226
XTR-18-055	1.125	0.055	0.222
XTR-18-057	1.125	0.057	0.229
XTR-18-080	1.125	0.080	0.316
XTR-18-100	1.125	0.100	0.386
XTR-19-057	1.140	0.057	0.233

ROUND TUBING

Part #	Diameter (A)	Wall Thickness (T)	Wt/Ft
XTR-20-055	1.250	0.055	0.247
XTR-20-065	1.250	0.065	0.290
XTR-20-080	1.250	0.080	0.353
XTR-20-085	1.250	0.085	0.373
XTR-20-100	1.250	0.100	0.433
XTR-20-175	1.250	0.175	0.709
XTR-21-140	1.315	0.140	0.620
XTR-21-109	1.315	0.109	0.496
XTR-22-080	1.375	0.080	0.391
XTR-22-085	1.375	0.085	0.414
XTR-22-100	1.375	0.100	0.481
XTR-22-125	1.375	0.125	0.589
XTR-1400-100	1.400	0.100	0.489
XTR-24-045	1.500	0.045	0.247
XTR-24-050	1.500	0.050	0.346
XTR-24-065	1.500	0.065	0.352
XTR-24-075	1.500	0.075	0.403
XTR-24-083	1.500	0.083	0.443
XTR-24-095	1.500	0.095	0.503
XTR-24-100	1.500	0.100	0.528
XTR-24-125	1.500	0.125	0.648
XTR-24-140	1.500	0.140	0.718




ROUND TUBING

Part #	Diameter (OD)	Wall Thickness (T)	Wt/Ft
XTR-24-250	1.500	0.250	1.178
XTR-26-045	1.625	0.045	0.268
XTR-26-058	1.625	0.058	0.344
XTR-26-085	1.625	0.085	0.493
XTR-26-100	1.625	0.100	0.344
XTR-26-110	1.625	0.110	0.629
XTR-26-115	1.625	0.115	0.655
XTR-26-400	1.625	0.400	1.847
XTR-27-140	1.660	0.140	0.802
XTR-28-089	1.750	0.089	0.557
XTR-28-125	1.750	0.125	0.766
XTR-28-205	1.750	0.205	1.194
XTR-29-100	1.812	0.100	0.646
XTR-30-090	1.875	0.090	0.606
XTR-30-140	1.900	0.140	0.929
XTR-196-125	1.960	0.125	0.864
XTR-32-065	2.000	0.065	0.475
XTR-32-085	2.000	0.085	0.614
XTR-32-100	2.000	0.100	0.716
XTR-32-125	2.000	0.125	0.884
XTR-32-150	2.000	0.150	1.046
XTR-32-128	2.016	0.128	0.912
XTR-33-200	2.060	0.200	1.403

ROUND TUBING

Part #	Diameter (OD)	Wall Thickness (T)	Wt/Ft
XTR-34-080	2.125	0.080	0.617
XTR-34-085	2.125	0.085	0.659
XTR-36-065	2.250	0.065	0.535
XTR-36-147	2.250	0.147	1.165
XTR-38-065	2.375	0.065	0.566
XTR-38-080	2.375	0.080	0.692
XTR-38-085	2.375	0.085	0.733
XTR-38-100	2.375	0.100	0.858
XTR-40-200	2.500	0.200	1.734
XTR-40-250	2.500	0.250	2.120
XTR-42-065	2.625	0.065	0.628
XTR-48-100	3.000	0.100	1.093
XTR-48-250	3.000	0.250	2.592
XTR-50-188	3.125	0.188	2.082
XTR-54-065	3.375	0.065	0.811
XTR-56-065	3.500	0.065	0.841
XTR-56-125	3.500	0.125	1.590
XTR-56-250	3.500	0.250	3.062
XTR-60-150	3.750	0.150	2.036
XTR-66-065	4.125	0.065	0.995
XTR-72-063	4.500	0.063	1.045
XTR-75-175	4.700	0.175	2.986
XTR-80-125	5.000	0.125	2.297



PROFILE


PROFILE CUSTOM EXTRUSIONS

RECTANGULAR TUBING

RECTANGULAR TUBING


Part #	Wall				Wt/Ft
	Width (A)	Height (B)	Thickness (T)	Corner Radii (R)	
XRT-8-12-062	0.500	0.750	0.062	0.016	0.168
XRT-8-24-062	0.500	1.500	0.062	0.016	0.280
XRT-10-14-05	0.625	0.865	0.050	0.045	0.164
XRT12-16-125	0.750	1.000	0.125	0.016	0.450
XRT10-16-045	1.000	0.625	0.045	0.016	0.166
XRT16-20-085	1.000	1.250	0.085	0.016	0.424
XRT-16-24-62	1.000	1.500	0.062	0.016	0.354
XRT16-24-125	1.000	1.500	0.125	0.016	0.676
XRT16-24-250	1.000	1.500	0.250	0.016	1.200
XRT-16-32-45	1.000	2.000	0.045	0.016	0.314
XRT16-32-070	1.000	2.000	0.070	0.016	0.481
XRT16-32-125	1.000	2.000	0.125	0.016	0.826
XRT16-32-188	1.000	2.000	0.118	0.188	0.751
XRT16-48-125	1.000	3.000	0.125	0.016	1.126
XRT16-64-125	1.000	4.000	0.125	0.016	1.426
XRT-96-16-1	1.000	6.000	0.125	0.016	2.026
XRT20-40-105	1.250	2.500	0.105	0.016	0.893
XRT2-4105375	1.250	2.500	0.105	0.375	0.811
XRT32-24-090	1.500	2.000	0.090	0.016	0.718
XRT24-32-125	1.500	2.000	0.125	0.016	0.976

Part #	Wall				Wt/Ft
	Width (A)	Height (B)	Thickness (T)	Corner Radii (R)	
XRT24-32-250	1.500	2.000	0.250	0.016	1.800
XRT24-48-060	1.500	3.000	0.060	0.016	0.631
XRT24-48-125	1.500	3.000	0.125	0.125	1.276
XRT24-481253	1.500	3.000	0.125	0.375	1.274
XRT27-42-375	1.706	2.652	0.375	0.016	3.247
XRT27-56-375	1.706	3.539	0.375	0.016	4.045
XCS-20	1.750	4.000	0.125	0.016	1.650
XRT32-24-090	2.000	1.500	0.090	0.016	0.718
XRT32-48-125	2.000	3.000	0.125	0.016	1.426
XRT32-64-109	2.000	4.000	0.109	0.016	1.513
XRT32-64-125	2.000	4.000	0.125	0.016	1.726
XRT-64-32	2.000	4.000	0.250	0.016	3.300
XRT32-80-125	2.000	5.000	0.125	0.016	2.026
XRT32-96-125	2.000	6.000	0.125	0.016	2.326
XRT32-96-188	2.000	6.000	0.188	0.016	3.440
XRT32-128-12	2.000	8.000	0.120	0.016	2.812
XRT33-33-375	2.035	2.042	0.375	0.016	2.994
XRT20-410525	2.500	1.250	0.105	0.250	0.892
XRT32-4825-3	3.000	2.000	0.250	0.300	2.610
XRT48-32-250	3.000	2.000	0.250	0.016	2.700



RECTANGULAR TUBING

Part #	Width (A)	Height (B)	Wall Thickness (T)	Corner Radii (R)	Wt/Ft
XRT48-64-125	3.000	4.000	0.125	0.016	2.024
XRT48-64-250	3.000	4.000	0.250	0.016	3.900
XRT48-80-188	3.000	5.000	0.188	0.016	3.440
XRT48-96-250	3.000	6.000	0.250	0.020	5.100
XRT64-96-125	4.000	6.000	0.125	0.016	2.926
XRT64-96-250	4.000	6.000	0.250	0.016	5.700



PROFILE


PROFILE CUSTOM EXTRUSIONS

SQUARE TUBING

SQUARE TUBING



Part #	Width (A)	Wall Thickness (T)	Corner Radii (R)	Wt/Ft
XTS-9-043	0.600	0.043	0.040	0.114
XTS-10-040	0.625	0.040	0.032	0.112
XTS-10-045	0.625	0.045	0.045	0.124
XTS-10-050	0.625	0.050	0.016	0.137
XTS-12-040	0.750	0.040	0.032	0.136
XTS-12-050	0.750	0.050	0.016	0.168
XTS-12-062	0.750	0.062	0.016	0.205
XTS-12-125	0.750	0.125	0.040	0.373
XTS12-125-16	0.750	0.125	0.016	0.374
XTS16040093	1.000	0.040	0.093	0.179
XTS-16-062	1.000	0.062	0.016	0.280
XTS16062125	1.000	0.062	0.125	0.268
XTS16062020	1.000	0.062	0.020	0.280
XTS16-062-93	1.000	0.062	0.093	0.271
XTS-16-100	1.000	0.100	0.100	0.421
XTS16-119187	1.000	0.119	0.187	0.472
XTS-16-125	1.000	0.125	0.016	0.526
XTS-20-060	1.250	0.060	0.016	0.343
XTS20-94-125	1.250	0.094	0.125	0.506
XTS20-109125	1.250	0.109	0.125	0.581
XTS-20-125	1.250	0.125	0.016	0.674

Part #	Width (A)	Wall Thickness (T)	Corner Radii (R)	Wt/Ft
XTS-22-050	1.375	0.050	0.016	0.318
XTS-24-062	1.500	0.062	0.016	0.428
XTS24-62-125	1.500	0.062	0.125	0.416
XTS-24-080	1.500	0.080	0.016	0.546
XTS-24-125	1.500	0.125	0.016	0.825
XTS24-125125	1.500	0.125	0.125	0.810
XTS-26-100	1.625	0.100	0.016	0.732
XTS-26-125	1.625	0.125	0.016	0.900
XTS-28-083	1.750	0.083	0.016	0.664
XTS-32-060	2.000	0.060	0.097	0.542
XTS-32-062	2.000	0.062	0.016	0.577
XTS-32-090	2.000	0.090	0.016	0.826
XTS-32-125	2.000	0.125	0.016	1.126
XTS-32-188	2.000	0.188	0.008	1.636
XTS-32-250	2.000	0.250	0.016	2.100
XTS-40-050	2.500	0.050	0.107	0.575
XTS-40-075	2.500	0.075	0.016	0.874
XTS-40-125	2.500	0.125	0.016	1.456
XTS-42-125	2.625	0.125	0.125	1.505
XTS-43-2-125	2.700	0.125	0.125	1.546
XC-096	2.700	0.125	0.016	1.546



SQUARE TUBING

Part #	Wall			Wt/Ft
	Width (A)	Thickness (T)	Corner Radii (R)	
XTS-48-093	3.000	0.093	0.016	1.297
511-906	3.000	0.120	0.016	1.645
XTS-48-125	3.000	0.125	0.016	1.726
XTS-48188301	3.000	0.188	0.301	2.447
XTS-48-250	3.000	0.250	0.016	3.300
XTS-48250301	3.000	0.250	0.301	3.209
XTS-59-125	3.688	0.125	0.125	2.122
XTS-64-125	4.000	0.125	0.125	2.310
XTS-64-250	4.000	0.250	0.016	4.500
XTS-96-188	6.000	0.188	0.250	5.244




CHANNEL

Part #	Height (A)	Width (B)	Wall Thickness (T)	Wt/Ft
XC-097	0.360	0.390	0.055	0.074
XCC-8-8-062	0.500	0.500	0.062	0.102
XCC-8-24-125	0.500	1.500	0.125	0.337
XCC-8-9-062	0.562	0.500	0.062	0.112
XCC-10-24-70	0.625	1.500	0.070	0.223
XCC-22-6-125	0.750	1.750	0.125	0.450
XCC16-16-125	1.000	1.000	0.125	0.412
XCC16-24-125	1.000	1.500	0.125	0.487
XCC16-32-125	1.000	2.000	0.125	0.562
XCC20-20-125	1.250	1.250	0.125	0.524
XCC20-38-188	1.250	2.375	0.188	1.033
XCC-64-25-18	1.563	4.000	0.180	1.495
XCC30-47-250	1.900	2.955	0.250	1.919
XCC32-16-125	2.000	1.000	0.125	0.712
XCC32-28-125	2.000	1.750	0.125	0.824
XCC32-80-188	2.000	5.000	0.188	0.824
XCC64-47-125	4.000	2.938	0.125	2.006


STRUCTURAL CHANNEL

Part #	Height (A)	Width (B)	Wall Thickness (T)	Corner Radii (R1)	Corner Top (R2)	Corner Radii (R3)	Wt/Ft
XCC-S-48-3	1.410	3.000	0.170	0.270	0.100	0.016	1.462
XCC-AS-64-32	2.000	4.000	0.150	0.250	0.016	0.016	1.772
XCC16-84-135	1.000	5.240	0.135	0.125	0.083	0.016	1.133



PROFILE

PROFILE CUSTOM EXTRUSIONS



I BEAM

STRUT

Part #	Height (A)	Leg Width (B)	Wall Thickness (T)	Wt/Ft
XC-143	2.375	2.375	0.100	1.176
XC-027	3.000	2.000	0.125	1.049
XC-012	4.500	3.000	0.175	2.737
XC-011	5.500	3.500	0.195	3.560
XC-010	6.500	4.000	0.220	4.572
XC-009	7.500	4.375	0.230	5.581


Part #	Height (A)	Width (B)	Wall Thickness (T)	Gap (G)	Wt/Ft
XUS-001	1.890	1.625	0.080	0.150	0.571

PROFILE

PROFILE CUSTOM EXTRUSIONS

DOCK SHAPES


Part #	Description	Wall Thickness	Wt/Ft
XC-006	2" FLUTTED SQUARE TUBE	0.125	0.992
XC-007	3" FLUTTED SQUARE TUBE	0.125	1.55
XC-008	8" X 2" FLUTTED TREAD	0.130	2.377
XC-020	2" FLUTTED SQUARE TUBE	0.125	1.234
XC-021	3.050" FLUTTED SQUARE TUBE	0.125	1.916
XC-022	6"X 2.225" FLUTTED TREAD	0.185	2.534
XC-025	5.969" X 2.219" FLUTTED TREAD	0.188	3.002
XC-026	2.22" X 9.00" FLUTTED TREAD	0.188	3.895
XC-038	2" X 1.5" FLUTTED REC TUBE	0.125	1.056
XC-053	6" X 2.219" FLUTTED TREAD	0.188	2.608
XTS-43-2-125	2.7" SQ. TUBE W/.125" CORNERS	0.125	1.546
SDS-002	3" FLUTTED SQUARE TUBE	0.125	1.675
SDS-005	2.00" X 6.750" FLUTTED TREAD	0.125	1.86
SDS-007	2.00" X 8.00" FLUTED REC. TUBE	0.125	2.872
SDS-010	2" FLUTTED SQUARE TUBE	0.125	1.044
SDS-011	2" X 9" FLUTTED TREAD	0.188	3.239



PROFILE

PROFILE CUSTOM EXTRUSIONS

DOCK SHAPES




PROFILE

PROFILE CUSTOM EXTRUSIONS

FENCE & HANDRAIL SHAPES

Part #	Description	Wall Thickness	Wt/Ft
XC-028	SNAP PLATE 2"	0.047	0.175
XC-029	SNAP PLATE 1.795"	0.075	0.251
XC-030	BOTTOM CHANNEL 1.795" X .895"	0.075	0.360
XC-031	SNAP POST 2"	0.070	0.606
XC-032	SNAP CHANNEL 1.625" X 1.000"	0.045	0.294
XC-033	PICKET 3/4" W / SCREW BOSS	0.040	0.156
XC-034	PICKET 1"	0.040	0.223
XC-035	TOP CAP 2.500" X 1.625"	0.062	0.462
XC-070	TOP CAP 3" ROUND	0.080	0.992
XC-109	STRINGER 1.625" X 1.629"	0.100	0.548
XC-144	ADA HANDRAIL 1.5"	0.125	0.654
XC-145	HOLLOW HANDRAIL 2-5/8"	0.080	0.710
XC-149	COM STRINGER 3/4"	0.080	0.354
XC-151	TOP CAP 2.468" X 1.219"	0.051	0.320
XC-152	SNAP PLATE 2"	0.062	0.212
XC-153	SOLID DIXIE CAP 2.25"	SOLID	1.181
XC-154	RESIDENTIAL STRINGER 1.0" X 1.0"	0.075	0.248
XC-155	REGAL STRINGER 1.5" X 1.01"	0.080	0.358











PROFILE

PROFILE CUSTOM EXTRUSIONS

FENCE & HANDRAIL SHAPES

Part #	Description	Wall Thickness	Wt/Ft
XC-161	GATE POST STIFFENER 5"	0.09	2.011
XC-162	H-STIFFENER 1.675" X 1.165"	0.06	0.323
XC-163	MUSHROOM CAP HANDRAIL 2.0"	0.1	0.802
XC-164	RESIDENTIAL HEADER 1.0" X 1.0"	0.8	0.264
XC-165	3-1/2" SNAP-IN COVER	0.78	0.370
XTS-9-043	PICKET .600" SQ. W/.040" CORNERS	0.043	0.114
XTS-10-045	PICKET .625" SQ. W/.045" CORNERS	0.045	0.124
XTS-10-050	PICKET .625" SQ. W/.016" CORNERS	0.05	0.137
XTS-12-050	PICKET .750" SQ. W/.016" CORNERS	0.05	0.168



XTS-9-043

XTS-10-045

XTS-10-050




XTS-12-050

PROFILE


PROFILE CUSTOM EXTRUSIONS

SHUTTER SHAPES

Part #	Description	Wall Thickness	Wt/Ft
HEADER			
XHSP-001		0.060	0.542
XHSP-002		0.065	0.781
XHSP-003		0.100	0.974
XHSP-004		0.100	1.096
XHSP-005		0.100	1.199
XHSP-006		0.090	0.709
TRACK			
XFSP-001		0.090	0.262
XFSP-002		0.095	0.434
XFSP-003		0.090	0.542
XFSP-004		0.090	0.650
XFSP-005		0.094	0.460
XFSP-006		0.095	0.521
ROLL-UP TUBE			
RIC-1211A (70mm)		0.220	2.038
XRS-39-070 (60mm)		0.070	0.664



RIC-1211A







XRS-39-070

PROFILE

PROFILE CUSTOM EXTRUSIONS

AWNING SHAPES

Part #	Description	Wall Thickness	Wt/Ft
XTS-16-100	SQ. TUBE 1" X 1" W/ .100 RAD. CORNERS	0.100	0.421
XAWN-001	STAPLE GROOVE 1" X 1" W/1" FLANGE	0.100	0.479
XAWN-002	STAPLE GROOVE 1" X 1"	0.100	0.419
XAWN-006	AIRFOIL BLADE 1.50" X 6.00"	0.082	1.352
XAWN-008	DIVIDER BAR 1.5" X 2.75"	0.125	0.810
XAWN-009	STAPLE GROOVE 1" X 1" w/.062" wall	0.062	0.341
XAWN-010	Z BLADE 5.5"	0.095	0.864





PROFILE

PROFILE CUSTOM EXTRUSIONS

SIGN SHAPES

<u>Part #</u>	<u>Description</u>	<u>Wall Thickness</u>	<u>Wt/Ft</u>
ASC-001	7" Fixed Retainer Sign Frame	0.078	1.436
ASC-002	7" Sign Frame Without Retainer	0.078	0.972




PROFILE


PROFILE CUSTOM EXTRUSIONS

WINDOW & DOOR SHAPES

<u>Part #</u>	<u>Description</u>	<u>Wall Thickness</u>	<u>Wt/Ft</u>
CBF-001	Frame Extrusion	0.045	0.306
CBF-002	Frame Extrusion Without Felt Groove	0.045	0.299



CBF-001



CBF-002